AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A method <u>for</u> of preparing a composition for a coating, wherein a layered, inorganic filler, <u>which filler is a natural or synthetic layered double hydroxide</u>, is subjected to an ion exchange with a modifier, which modifier comprises at least two ionic groups, which groups are separated from each other by at least four atoms, <u>and which modifier comprises at least one anionic</u> group, and wherein the modified filler, together with a polymer, is dispersed in a diluent.
- 2. (Original) A method according to claim 1, wherein the layered, inorganic filler is a natural or synthetic clay with a cation exchange capacity of 30-200 milliequivalents per 100 grams.
- 3. Cancelled
- 4. (Original) A method according to claim 3, wherein the cationic group is an ammonium, phosphonium or sulfonium group.
- 5. (Original) A method according to claim 1, wherein the layered inorganic filler is a natural or synthetic layered double hydroxide.
- 6. (Original) A method according to claim 5, wherein the layered double hydroxide satisfies the formula (I):

$$[M_{(1-x)}^{2+} M_x^{3+} (OH)_2] [A_{x/y}^{y-} .n H_2 O]$$

wherein M^{2+} is a bivalent cation, M^{3+} is a trivalent cation, x is a number between 0.15 and 0.5 y is 1 or 2, n is a number from 1 to 10, and A is an anion selected from the group consisting of Cl-, Br-, NO_{3-} , SO_4^{2-} and CO_3^{2-} .

- (Previously Presented) A method according to claim 5, wherein the modifier comprises at least one anionic group.
- 8. (Original) A method according to claim 7, wherein the anionic group is a carbonate, sulfonate, or phosphonate group.

- 9. (Previously Presented) A method according to claim 1, wherein the modifier comprises an aromatic group.
- 10. (Previously Presented) A method according to claim 1, wherein the modifier comprises an organic dye.
- 11. (Previously Presented) A method according to claim 1, wherein the diluent is polar.
- 12. (Currently Amended) A method according to claim 1, wherein the polymer is selected from the group consisting of polyurethanes; polyacrylates; polymethacrylates; polyesters; polyethers; polyether
- 13. (Previously Presented) A method according to claim 1, wherein an initiator is dispersed into the diluent.
- 14. (Currently Amended) A The coating composition for coating prepared by the method of claim 1.
- 15. (Currently Amended) A composition for coating comprising a polymer and a modified layered inorganic filler dispersed in a diluent, wherein the filler, which filler is a natural or synthetic layered double hydroxide, is modified by ion exchange with a modifier which comprises at least two ionic groups, which groups are separated from each other by at least four atoms and which modifier comprises at least one anionic group.
- 16. (Cancelled)
- 17. (Previously Presented) A coating formed upon curing of an applied composition according to claim 14.
- 18. (Currently Amended) A layered inorganic filler, which filler is a natural or synthetic layered double hydroxide, modified by ion exchange with a modifier which comprises at least two ionic groups, which groups are separated from each other by at least four atoms and which modifier comprises at least one anionic group.
- 19. (Previously Presented) A coating comprising the composition of claim 15.

20. (New) A method of preparing a coating composition, wherein a layered inorganic filler is subjected to an ion exchange with a modifier, said modifier comprising at least two ionic groups, at least one of which is an anionic group and at least one of which is a cationic group, said at least two ionic groups being separated from each other by at least four atoms, and wherein the modified filler, together with a polymer, is dispersed in a diluent.